

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 05, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-9500635, issued to TRIAD HUNTER, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654

James Martin

Chief

Operator's Well No: JAMES (BREN.) WOOD #7

Farm Name: CHARITY GAS CO.

API Well Number: 47-9500635

Permit Type: PluggingDate Issued: 12/05/2013

Promoting a healthy environment.

WW-4B Rev. 2/01

1) Date September 19	, 2013
2) Operator's	
Well No. James (Bren.)) Wood # 7
3) API Well No. 47-	095 - 0635

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	MIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas X / Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow_X_
5)	Location: Elevation 821'(GPS 823') District Ellsworth	Watershed Elk Fork County Tyler Quadrangle Porters Falls
6)	Well Operator Address Address Triad Hunter,LLC 125 Putnam Street Marietta, Ohio 45750	7) Designated Agent Kimberly Arnold Address P.O. Box 154 Waverly, WV 26184
8)	Oil and Gas Inspector to be notified Name_JoeTaylor Address 497 Claylick Road Ripley, WV 25271	9) Plugging Contractor Name N/A Address
110)	Work Order: The work order for the mann	ner of plugging this well is as follows:
work	can commence.	Office of Oil and gas inspector 24 hours before permitted OCT 302013 WV Deneral Section
Work	order approved by inspector	Environmental Protection

PLUGGING PROCEEDURE

ELK FORK FIELD

Ellsworth District, Tyler County

- 1. MIRU service rig, dig flow back pit, and remove pumping unit if necessary.
- 2. Pull tubing and rods OOH and clean hole to total depth.
- 3. Run 2 3/8" 8rnd tubing to the base of the shot hole or pay zone.
- 4. Mix/Pump 75 sacks Class A Cement, ¼ lb. flocele/sk., 1% CaCl, through the tubing into the shot hole (Plug # 1 88.5 cu.ft.).
- 5. Pull tubing up to 1,000 feet and shut down for the day.
- 6. Lower tubing and tag the top of the cement plug. Mix additional cement to cover the shot hole if necessary.
- 7. Pull casing (5 3/16", 6 ¼", 6 5/8")OOH, or cut-off / shoot apart casing around 500 feet above the Keener Formation or pay zone and pull it OOH.
- 8. RIH with 2 3/8" 8rnd tubing to the top of the cut-off casing or 500 feet above the Keener Fm./pay-zone.
- 9. Mix/Pump 60 sacks Class A Cement, ¼ lb. flocele/sk., 1% CaCl through the tubing into the annulus (Plug # 2 68 cu.ft., 200' lin. ft.).
- 10. Pull tubing up-hole to set surface hole plug as follows: (Assume Hole Size = 10")

(Elevation)	(Plug Depth)	(Cement Required)	(Cubic Feet)
Below 800 feet	100'	50 sacks	54.5
800' to 900'	150′	70 sacks	82.0
900' to 1,000'	200'	95 sacks	109.0
Over 1,000 feet	250'	116 sacks	136.5

- 11. Mix/Pump (Plug # 3) the surface hole plug with Class A Cement, ¼ lb. flocele/sk., 1% CaCl, through the tubing until cement is circulated to surface. Pull tubing OOH.
- 12. **Top load hole with Class A Cement** and install monument casing so that it is 3' above ground level.
- 13. Weld identification plate on monument pipe and fill monument pipe with Class A Cement.
- 14. RDMO service rig and surface equipment.
- 15. Reclaim well site and lease road.

Note! Mix / Pump gel spacers between all cement plugs.

Office of Oil and Gas

WV Department of Environmental Protection

(Well Information)

Permit Number: 47-095-0635 Well Name: James (Brex.) Wood # 7 District: Elsworth County: Tyler 821 Date Drilled: Total Depth: 1742' Elevation: Producing Zone: Keener Shot Hole Depth: Natural Open-Hole Casing Depths: 10" 8 %" Tubing Depth: 2" 6 5/8" 6 %" 47/8" 47/8" Remarks: Pay Zone 1700' 1724'

ELK FORK FIELD



Select County:	(095) Tyler	•	Select datatypes: (Check All)	
Enter Permit #:	0635		Location	 ✓ Production	Plugging
Get Data	Reset		Owner/Completion Pay/Show/Water	Stratigraphy Logs	Sample Btm Hole Loc

Table Descriptions
County Code Translations
Permit-Numbering Series
Usage Notes
Contact Information
Disclaimer
WYGES Main
"Pipeline-Plus" New

?

WV Geological & Economic Survey:

Well: County = 95 Permit = 0635

Report Time: Thursday, February 14, 2013 4:37:36 PM

 API
 COUNTY
 PERMIT
 TAX_DISTRICT
 QUAD_75
 QUAD_15
 LAT_DD
 LON_DD
 UTME
 UTMN

 4709500635
 Tyler
 635
 Ellsworth
 Porters Falls
 New Martinsville
 39.532609
 -80.861062
 511940
 24375892.7

(J. Wood #7)

There is no Bottom Hole Location data for this well

Owner Info	rmation:														
API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_	NUM	CO_NL	M LEAS	E LEASE	_NUM	MINERAL	OWN		PROP_VD	PROP_TRGT_FM
4709500635	-1-1-	Original Loc	Completed	James Wood 7									Southern Oil Company		
4709500635	-1-1-	Plugging	Permitted	Clarence Tuttle		7					Woods Hrs	3	Gedco Oil & Gas Joint Venture		

Completion	n Informa	ation:															
API	CMP DT	SPUD DT	ELEV	DATUM	FIELD	DEEPEST FN	DEEPEST		FINAL_CLASS					TMD NEW I	TG C	BEF (G AFT
4709500635	-1-1-	-1-1-	821	Ground Level	Kdwl-Elk Fk Ar	Keener	Keener	Development Well	Development Well	Oil w/ Gas Show	unknown	Nat/Open H	1742	1	742	0	0
4709500635		-1-1-								not available	unknown	unknown					

Pay/Snow/														
API	CMP DT	ACTIVITY	PRODUCT	SECTION	DEPTH_TOP	FM_TOP	DEPTH_BOT	FM_BOT	G_BEF	G_AFT	O_BEF	O_AFT	WATER	QNTY
4709500635		Show	Gas	Vertical	Activities		1700	Keener	0	0				30.2942.0000
4709500635	-1-1-	Pay	Oil	Vertical			1724	Keener	0	0				

API	OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4709500635	Pennzoil Company	1981	_ 0	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Pennzoil Company	1982	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Pennzoil Company	1983	0	0	0	0	0	0	0	0	0	0	0	0	C
4709500635	Gedco Oil & Gas Joint Venture	1999	10	2	0	0	0	7	0	0	0	0	1	0	0
4709500635	Triad Resources, Inc.	2000	8	0	0	0	4	0	0	0	0	4	0	0	C
4709500635	Triad Resources, Inc.	2001	4	0	0	0	0	0	0	0	4	0	0	0	0
4709500635	Triad Resources, Inc.	2002	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Triad Resources, Inc.	2003	0	0	0	0	0	0	0	0	0	0	0	0	0
	Triad Resources, Inc.	2004	0	0	0	0	0	0	0	0	0	0	0	0	C

API	OPERATOR	PRD YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4709500635	Pennzoil Company	1981	33	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Pennzoil Company	1982	16	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Pennzoil Company	1983	4	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Gedco Oil & Gas Joint Venture	1999	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Triad Resources, Inc.	2000	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Triad Resources, Inc.	2001	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Triad Resources, Inc.	2002	12	1	1	1	1	1	1	1	1	1	1	1	1
4709500635	Triad Resources, Inc.	2003	0	0	0	0	0	0	0	0	0	0	0	0	0
4709500635	Triad Resources, Inc.	2004	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

Office of Oil and Gas

WV Department of Environmental Protection



1) Date: September 19, 2013 2) Operator's Well Number James (Bren.) Wood #7

3) API Well No.: 47 -

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

	NOTICE OF APPLICATIO	ON TO PLUG AND ABANDON A WELL
4) Surface Own (a) Name	er(s) to be served: Charity Gas Co. 5) ((a) Coal Operator Name N/A
Address	RR 3 Box 62	Address
	Salem, WV 26426	
(b) Name	2	(b) Coal Owner(s) with Declaration
Address		Name N/A
		Address
(c) Name		Name
Address		Address
6) Inspector	Joe Taylor	(c) Coal Lessee with Declaration
Address	497 Claylick Road	Name N/A
	Ripley, WV 25271	Address
Telephone	(304) 380-7469	
(2) The pi The reason y However, yo Take notice accompanyin Protection, v the Applicat	that under Chapter 22-6 of the West Virginia Coding documents for a permit to plug and abandon a with respect to the well at the location described or	ghts regarding the application which are summarized in the instructions on the reverses side. de, the undersigned well operator proposes to file or has filed this Notice and Application and well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, dor certified mail or delivered by hand to the person(s) named above (or by publication in
	Well Operator	
	By:	Rocky Roberts Con Convo
	Its:	Senior VP Appalachian Operations
	Address	125 Putnam Street
		Marietta, Ohio
	Telephone	(740) 374-2940
Subscribed and s My Commission Oil and Gas Priva	Expires	Notary Public NOTARY PUBLIC NOTARY PUBLIC In and for The Glates Adhio My Optumestron Expires Gas
The Office of Oil o	nd Gas processes your personal inform	nation, such as name, address and phone number, as a part of our
regulatory duties.	Your personal information may be dis	sclosed to other State agencies or third parties in the normal course of

business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal WV Department of Environmental Protection information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

SURFACE OWNER WAIVER

Operator's Well Number

James (Bren.) Wood #7

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to objection to a permit being issued on those material FOR EXECUTION BY A NATURAL PERSON ETC.	the planned work described in these materials, and I have no s. FOR EXECUTION BY A CORPORATION,
Date	Name CHARITY GAS DET 202013
Signature	By Sull Bel
	Its proceed and Date Proceded
	X Signature Environmental Protection

WW-9 Rev. 5/08

	Page 1	of 2	
API Number 47 -	. 095	- 0635	_
Operator's Well N	O. James	(Bren.) Wood # 7	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM
GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Triad Hunter,LLC	OP Code		
Watershed Elk Fork	Quadrangle Porters Falls		
Elevation 821' (GPS 823') County Tyler	District_Ellsworth		
Description of anticipated Pit Waste: Saltwater, oil, gel, and freshwater			
Will a synthetic liner be used in the pit? yes 20 MIL.			
Proposed Disposal Method For Treated Pit Wastes: Land Application Wunderground Injection (UIC Permit Names (at API Number) Off Site Dispposal (Supply form WW-) Other (Explain)	9 for disposal location)		
Proposed Work For Which Pit Will Be Used: Drilling Workover Other (Explain	Swabbing Plugging		
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine or imprisonment. Company Official Signature Rocky Roberts Company Official Title Senior VP Appalachian Operations			
Subscribed and sworn before me this 24th day of September, 20 10 ice of Oil and Gas			
Etycbeth R. Seby	Notory Public PUBLIC WILLIAM TO CHARLES AND THE PUBLIC WILLIAM TO CHARLES AND THE PUBLIC WILLIAM TO CHARLES AND COMPANY PUBLIC WILLIAM TO CHARLES		
My commission expires $2 - 29 - 16$	Environmission Expirement of 21992 Brotection		

L	EGEND		
Property Boundary	Diversion Comments of the Comm		
Rond = = = = = = = = = =	Spring		
Existing Fence — X — X — X —	Wet Spot		
Planned Fence / / /	Drain Pipe with size in inches	- ② →	
Stream	Waterway C+ C+	\Leftrightarrow \Leftrightarrow	
Open Ditch	Cross Drain	111111	
Rock 535 885	Artificial Filter Strip XXXXXXX	XXXXXXXXXX	
North N	Pit: cut walls	4	
Buildings	Pit: compacted fill walls	R.	
Water wells	Area for Land Application of Pit Waste	30	
Drill site	Ciring I		
Proposed Revegetation Treatment: Acres Disturbed One +/- Prevegetation pH 5.5			
Troposed Revegetation Treatment. Acres Distanced			
Lime Two (2) Tons/acre or to correct to pH			
	acre (500 lbs minimum)		
Mulch 90 - 100 bales/acreTons/ac	ere		
Seed Mixtures			
Seed	Wintuies		
Area I	Area II	ha /a ava	
Area I Seed Type lbs/acre	Area II Seed Type II	bs/acre	
Seed Type Area I Orchard Grass 30%	Seed Type II Orchard Grass	30%	
Area I Seed Type lbs/acre	Area II Seed Type II		
Seed Type Area I Orchard Grass 30%	Seed Type II Orchard Grass	30%	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35%	Orchard Grass Rye (Annual & BT)	35%	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35% Timothy (Climax) 25% Clover (Medium Red) 10% Attach: Drawing(s) of road, location,pit and proposed area for land appli	Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25%	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35% Timothy (Climax) 25% Clover (Medium Red) 10% Attach:	Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25%	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35% Timothy (Climax) 25% Clover (Medium Red) 10% Attach: Drawing(s) of road, location,pit and proposed area for land appli	Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25%	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35% Timothy (Climax) 25% Clover (Medium Red) 10% Attach: Drawing(s) of road, location,pit and proposed area for land appli	Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25% 10%	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35% Timothy (Climax) 25% Clover (Medium Red) 10% Attach: Drawing(s) of road, location,pit and proposed area for land application of involved 7.5' topographic sheet.	Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25%	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35% Timothy (Climax) 25% Clover (Medium Red) 10% Attach: Drawing(s) of road, location,pit and proposed area for land appli	Seed Type Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25% 10% RECEIVED of Oil and Gas	
Area I Seed Type Orchard Grass 30% Rye (Annual & BT) Timothy (Climax) Clover (Medium Red) Attach: Drawing(s) of road, location,pit and proposed area for land application of involved 7.5' topographic sheet. Plan Approved by: Comments:	Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25% 10% RECEIVED of Oil and Gas CT 3 0 2013	
Area I Seed Type Ibs/acre Orchard Grass 30% Rye (Annual & BT) 35% Timothy (Climax) 25% Clover (Medium Red) 10% Attach: Drawing(s) of road, location,pit and proposed area for land application of involved 7.5' topographic sheet.	Orchard Grass Rye (Annual & BT) Timothy (Climax) Clover (Medium Red)	30% 35% 25% 10% RECEIVED of Oil and Gas	

DELORME XMap® 7 Gas BM James (Bren) Wood #7 095-0635 5% BM 722 800 School No 3 BN 787 1200-Scale 1: 12,000 Data use subject to license. © DeLorme. XMap® 7. www.delorme.com 1" = 1,000.0 ft Data Zoom 13-5



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WEEL LOCK	TION TORM.		
_{API:} 47-095-0635	WELL NO	_{D.:} _7	
FARM NAME: James (Bren.) Wood			
RESPONSIBLE PARTY NAME: Triad Hunter, LLC			
COUNTY: Tyler	DISTRICT: _	Ellsworth	
QUADRANGLE: Porters Falls	S		
SURFACE OWNER: Charity G			
ROYALTY OWNER: Richard J. Fo		. Ferrell et al	
UTM GPS NORTHING: 4375895.0402496			
UTM GPS EASTING: 511946.354	445967 _{GPS ELEV}	_{VATION:} 823'	
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential			
Real-Time Differential X Mapping Grade GPS X : Post Processed Differential X			
	me Differential		
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and the belief and shows all the information required by law and the regulations issued and oil and Gas prescribed by the Office of Oil and Gas.			
Signature Methor	Geologist Title	4/15/2013 ₁₃ WV Date Environmental Protection	
		- Totection	